


Polishing Knives

Premium Solutions for Stainless Steel

osborn.com

Unique and Reputable Capabilities

Honest experts providing trusted solutions.

Since 1887, we have grown to become the world's largest surface treatment and finishing provider. We are dedicated to offering the very best – a standard to which we hold ourselves and the aspiration we reserve for our diverse customer base. Osborn helps you Finish. First.

Products for every application.

Osborn has the broadest selection of buffs and compounds in the industry. Osborn will develop custom solutions for particular applications when standard products cannot meet the demands.

Continued innovation.

Product development focused upon customer applications. This applies to new products, continuous improvement and process control.

Leading combination.

The combination of long lasting Osborn buffs and economical compounds provide excellent results and fewer rejects. Our compounds are made using the highest quality minerals, sized within a very limited range, to ensure no unexpected lines or scratches on a given surface. They adhere perfectly to Osborn buffs for a clean and economical process. Let our experts show you how to achieve the lowest cost per part!

Solid Compounds 12

Liquid Compounds 14

Buffs 17

Abrasives 19

SKU Index 25

Why Osborn?

We bring together global expertise and strong local support to deliver high-quality, innovative products and solutions for polishing applications. Our team includes chemists, engineers, and technical application specialists. By combining international know-how with hands-on service close to our customers, we ensure tailored and efficient solutions that meet the highest industry standards. Our approach is defined by reliability and long-term partnerships with our customers, our employees, and within our organisation. With Osborn, you gain a strong partner supporting you throughout every step of your polishing process.

Complete Product Range

We offer a comprehensive product portfolio that includes liquid and solid polishing compounds, polishing buffs and abrasive tools. This all-in-one capability enables us to deliver optimal solutions for every stage of the polishing process. Covering every step from pre-polishing to high-gloss finishing across a wide range of surfaces.

Research and Development Made in Europe

We continuously refine and improve our products to ensure they meet our customers' future requirements using the latest innovative technologies. We are always looking for new raw materials and components to enhance our products and improve performance.

Technical Support

We provide comprehensive technical support to ensure optimal results in every application. Our experts are available as local contacts, offering fast and reliable assistance directly on site. Through on-site application tests, we help to identify the most effective processes and product combinations under real production conditions.

Application-specific Solutions

We work closely with our customers on joint developments, creating tailored solutions that meet specific requirements and drive continuous improvement. By carefully adapting our products to customer-specific machine requirements, we ensure smooth integration, improved process reliability, and consistently high-quality results.

Global Expertise

With many years of industry experience, we combine in-depth know-how with a strong global presence. Being represented worldwide and close to our customers, we ensure fast local support, and a deep understanding of regional polishing requirements.



Our Approach.

Stainless Steel Pots & Pans, Cutlery and Knives

Stainless Steel is one of the most widely used materials in the kitchenware industry, forming the basis for products such as pots, pans, cutlery, and knives. It is processed from rolled sheets, plates, bars, wire, and tubing into durable, hygienic, and visually appealing consumer products. Regardless of the part's geometry, our objective is to ensure a high-quality, homogeneous, and brilliant surface finish.

Surface Finishing of Stainless Steel Parts

To achieve the desired appearance and functionality, stainless steel components undergo a variety of finishing processes after grinding. Osborn abrasive and polishing solutions, including polishing compounds, buffs and abrasive tools are designed to create a wide range of surface finishes, from uniform satin finishes to brilliant high-gloss finishes.

Developed for modern manufacturing environments, Our products deliver consistent and reproducible results in automated production lines, including rotary table machines and robotic polishing cells. They offer an excellent performance-to-cost ratio, helping manufacturers maximize productivity while maintaining the highest quality standards.

In addition to solutions for fully automated processes, Osborn also provides a comprehensive range of products for manual and semi-automatic applications, ensuring flexibility across all stages of kitchenware production.

Why choose us for your Stainless Steel polishing process?

- Maximum Efficiency: Achieve perfect, uniform shine faster, with lower compound consumption and longer tool life.
- Total Consistency: Engineered for 24/7 robotic and automated lines. Set your parameters once and trust the results.
- Zero-Defect Focus: Maintain stable production to prevent costly rejects.

Our systems are built on the synergy between tool and compound, ensuring your quality never wavers. Whether you are running a fully automated fac tory or performing precision manual polishing, we provide the consistency you can rely on—year after year.







High-Performance Polishing Compounds

Achieve a flawless finish with compounds tailored specifically for stainless steel.

Liquid Polishing Emulsions: Efficiency & Precision

Our liquid compounds offer superior dosing and even distribution, making them the ideal choice for clean, high-efficiency industrial polishing.

- Uniform Results: Fluid consistency ensures consistent coverage across the entire workpiece.
- Ease of Use: Simple to automate and dose for precise application.
- Flexible Packaging: We offer tailored logistics solutions, from IBCs and reusable containers to specialized cardboard packaging, ensuring the right volume for every operation.

Formula	Conical container (reuseable)	IBC	Box
	800-900kg net	1000-1250kg net	50kg
Athos P12	•	•	•
Unipol 8660	•	•	•
Unipol 8564	•	•	•
Autolin 741	•	•	•

Solid Polishing Compounds

Whether for manual polishing systems or high-speed automated lines, our solid polishing compounds provide the consistency your process demands.

- Universal Application: Optimized for both hand-held polishing and machine-integrated systems.
- Flexible Formats: Available in bags and standard bar sizes to fit common equipment.
- Tailor-Made Solutions: We manufacture custom dimensions on request to perfectly match your technical requirements.

Formula	Manual polishing	Automatic feeders
	Bag 1000-1300g	Sized Bars 900-4500g
Unipol 6310	•	•
Unipol 5333	•	•
Unipol 0462	•	•
Unipol Gold	•	•

Optimal Storage Guidelines

To maintain the performance and consistency of your polishing compounds, we recommend the following storage conditions:

- Temperature Control: Store in a cool, dry environment at approximately 20°C. Brief fluctuations between 5°C and 30°C are ac ceptable for short periods.
- Atmospheric Conditions: Ensure the storage area is well-ventilated to prevent humidity buildup and extreme temperature shifts.
- Integrity of Packaging: Keep all boxes and containers tightly sealed to protect against contamination and moisture absorption.
- Shelf Life: Please monitor the expiry dates

Buffs for Stainless Steel

From pre-polishing to high-gloss finishes, we offer the ideal polishing buffs for any stainless steel surface. Browse our selection below. Our experts are ready to provide tailored advice for your individual production needs.



Sisal Buff



Cloth Buff



Abrasive Buff

Different Buff Constructions

We offer polishing buffs in a wide range of diameters and configurations. Our polishing buffs are perfectly attuned to our range of solid and liquid polishing compounds.



L-Buff

L-Buffs are designed for the polishing and finishing of complex workpieces and can be used in both directions. Their unique folded construction combines excellent performance with a cooling air effect, enabling efficient material processing while reducing heat build-up on the workpiece. The folded structure ensures consistent finishing results, high compound retention, and effective performance across large surface areas.



Mini-L Buff

Maximize your reach with our high-flexibility buff which can be used in both directions. Designed with a slim 2-layer pleating and a compact core, it provides more usable material than the standard L-Buff. It is the ideal choice for effortlessly handling a depth up to 25mm.



LM-Airflow Buff

Engineered for high-performance polishing, this flexible pleated design is specifically optimized for manual polishing processes. The LM-Buff is designed for single-direction operation. This construction allows the wheel to conform seamlessly to complex workpiece geometries and deep recesses. This ensures a consistent, high-quality finish across intricate contours.



Airflow-Buff

Our most versatile buff is the industry standard. Irregular folds ensure active performance and unmatched endurance. This buff design provides rapid material removal and a long lifespan, making it the ideal choice for high-throughput industrial polishing.

Different Types of Material

Cloth Buffs: Material, Characteristics, Applications

Material	Characteristics	Application
Treated Cloth		
264J	Yellow, medium heavy treated cloth	Cutting
301J	Yellow	Cutting
TT	Orange cloth hard dry	Cutting & Colouring
BSKY	Blue cloth, flexible and resilient	Cutting & Colouring
Standard Cloth		
308	Harder cloth, high warp and weft count	Cutting
298	Hard cloth, quite flexible	Cutting & Polishing
290	Medium cloth, quite dense	Polishing
215	Soft, medium cloth	Polishing
101A	Soft, standard cloth	Colouring
MO5	Soft cloth, raised on both sides	Colouring
206SG	Dense, double raised cloth	Colouring
M310	Bleached white double raised	Colouring
202	Soft, medium high quality	Colouring

Sisal Web

Type	Material	Characteristics	Grade
Sisal Web	82B	Dense structure, thin yarn	light/medium
Sisal/Cloth	82B/101B	Suitable for Wave, Pleated and Airway Buffs	light/medium
Sisal Cord	32F	Two cords twisted	light
Sisal Cord	48	Eight cords braided	heavy

Non-woven Grades

	Material	Grit type	Grit Size
Aluminiumoxide	A2T	Coarse A	80-100
	A4T	Medium A	120-180
	A6T	Fine A	180-240
	A61D	Fine A	180-240
	A7T	Very Fine A	240-380
	A4MCP	Medium A	120-180
Siliconcarbide	S4T	Medium S	120-180
	S6T	Fine S	180-240

Dip Treatments

Material	Colour	Hardness	Cotton cloth	Sisal cloth	Sisal cord
VI4	Dark green	10		•	•
H2	Light green	8		•	
H5	Yellow	7		•	•
H5E	Red	5		•	
H5A	Dark blue	3		•	•
8S	Dark yellow	2	•	•	•
V66	White	1		•	
A60	Pink	0		•	

Polishing Knifes

For high-quality knifes, surface quality is just as important as functionality and cutting performance. Blades and handles must feature a consistent satin finish and be free from visible processing marks. A precisely finished surface makes a significant contribution to the product's premium appearance, perceived value, and overall aesthetic appeal. As a result, the polishing process plays a critical role in knife manufacturing. With our high-performance polishing compounds and polishing buffs, manufacturers can achieve superior satin-finish surfaces that meet the highest standards of appearance, feel, and workmanship.



Additional Applications & Products

Stropping is the final finishing step after sharpening. It involves drawing the edge of a blade or tool across a soft surface, typically leather, often coated with a very fine polishing compound. The purpose is to remove microscopic burrs, align the cutting edge, and produce a highly polished, razor-sharp finish.



Osborn 1009 polishing compound is the ideal product for this purpose. It contributes to improving sharpness and cutting performance, creates a smoother, mirror like edge finish and extends the time between full sharpening operations.


The focus of this catalog is on the polishing of stainless steel for the kitchenware industry. However, our portfolio includes a wide range of polishing solutions, including products suitable for polishing plastic knife handles. In addition, we offer solutions for many other blade and cutting tool applications, such as hairdressing scissors, razor blades, and other precision cutting instruments.

If you have a specific requirement, please contact us. Our experts will be happy to evaluate your process and recommend the most suitable solution from our portfolio.


Polishing Positions for Knifes


To mechanically process the knife blades and the bolster, our tools can be arranged into counter-rotating roller assemblies that engage the bolster from both sides. This ensures uniform material removal, a consistent satin finish, and reliable process stability across the entire surface.

Knife blades



Knife bolsters





Knife handles

The selection of the polishing tools should be based on whether the handle surface features a decorative pattern or a plain finish. For decorated knife handles, impregnated sisal cord brushes are recommended as they effectively preserve fine details while delivering a uniform finish. For less intricate designs or plain surfaces, Sisal-cloth folded EK buffs provide excellent polishing performance and surface quality.
When determining the appropriate roller hardness, it is important to consider whether the upper edge will be processed separately using an oscillating motion or simultaneously with the flat surface area. This ensures optimal contact conditions and consistent polishing results across all handle features.

A properly optimized polishing process is essential for achieving a premium satin finish on knife surfaces. Starting from a stainless steel sheet, each knife undergoes a sequence of carefully controlled manufacturing stages, including blanking, deburring, grinding, cleaning, and final polishing. Every step contributes to the quality of the finished product, but it is the polishing process that defines the surface appearance. Polishing provides the finishing touch, creating a uniform satin finish that enhances the knife's quality and value.



Appearance can vary from picture depending on variant.

EUPOSC005

Unipol 6310: Pre-Polishing Compound

Highly abrasive cutting compound with excellent performance


- Excellent Cutting Performance: High abrasive action enables fast and efficient material removal
- Effective Defect Removal: Eliminates surface imperfections, defects, and scratches
- Line-Free Finish: Produces a smooth and uniform surface appearance

Application: This compound can be used on a variety of materials, including: steel, stainless steel and precious metals. For best result, use with Osborn Cloth and Sisal Buffs.

Please note: Available as bars, sized bars for automatic feeders and round bars with M8 dowel.

						Polishing Performance		
colour	Weight approx.	PKG.	Free of animal fat		Item Number	fat	cut	colour
grey	1,450 g	Bag	yes	23	● L729006310	5	9	3
grey		Sized Bar	yes	1	● L719006310	5	9	3

Performance 1 = low / 10 = high



Appearance can vary from picture depending on variant.

EUPOSC020

Unipol 5333: Pre-Polishing Compound

Versatile high-performance cutting compound for stainless steel applications. Top results and high productivity are achieved with minimal compound consumption, ensuring a highly efficient and cost-effective polishing process.

- Provides reliable and consistent abrasive performance
- Preprares surfaces perfectly for the subsequent high-gloss finishing process

Application: Unipol 5333 can be used on all standard polishing machines and delivers optimum performance when combined with Osborn polishing buffs.

						Polishing Performance		
colour	Weight approx.	PKG.	Free of animal fat		Item Number	fat	cut	colour
white	600 g	bar	no	1	● L709005333	6	7	4
white		Cylindrical bar	no	1	● L799005333	6	7	4
white		Sized Bar	no	1	● L719005333	6	7	4

Performance 1 = low / 10 = high

● on stock ● made to order



Appearance can vary from picture depending on variant.

EUPOSC025

Unipol 0462: Polishing Compound

Unipol 0462 is a high-performance, animal-fat-free solid colouring compound specifically developed for polishing and colouring stainless steel and other metal surfaces. It delivers a uniform, brilliant finish while ensuring high productivity and efficient compound consumption.

- Versatile Application: Suitable for stainless steel and a wide range of other metals
- Excellent Polishing Performance: Delivers high-quality colouring and finishing results
- Reliable Results: Ensures consistent surface quality in industrial polishing applications

Application: Unipol 0462 can be used on all standard polishing machines and delivers optimum performance when combined with Osborn polishing buffs.

						Polishing Performance		
colour	Weight approx.	PKG.	Free of animal fat		Item Number	fat	cut	colour
blue	680 g	bar	yes	1	● L709000462	2	2	9
blue		Sized Bar	yes	1	● L719000462	2	2	9
blue		Sized Bar	yes	1	● L719010462	2	2	9

Performance 1 = low / 10 = high



Appearance can vary from picture depending on variant.

EUPOSC006

Unipol Gold: Polishing Compound

Unipol Gold is a premium polishing compound specially developed to achieve a brilliant polished surface with an exceptional deep gloss. Suitable for a wide range of materials and surface types, it delivers outstanding finishing results while ensuring a high-quality appearance.

- Professional Results: Original Gold compound for an excellent deep gloss
- Universal Application: Suitable for a wide variety of surfaces and materials
- High Surface Quality: Enhances the visual appearance of polished workpieces

Application: For best results, use Osborn Soft Cotton Cloth Buffs and Mops.

						Polishing Performance		
colour	Weight approx.	PKG.	Free of animal fat		Item Number	fat	cut	colour
gold	720 g	bar	yes	1	● L709040408	2	2	9
gold		Sized Bar	yes	1	● L719040408	2	2	9

Performance 1 = low / 10 = high



Appearance can vary from picture depending on variant.

EUPOLC015

Athos RT6: Pre-Polishing Emulsion

This brushing emulsion is specially developed to create a uniform matte finish on knife blades and other metal components. It provides controlled abrasive action during brushing processes, effectively refining the surface while preserving the geometry of the workpiece.

- Creates a uniform matte finish for an attractive and professional surface appearance
- Optimized for Knife manufacturing and finishing of blades and metal components
- Consistent surface quality with reliable and repeatable results

Application: Athos RT6 can be used on all standard polishing machines and delivers optimum performance when combined with Osborn polishing buffs.

				Polishing Performance		
PKG.	colour		Item Number	fat	cut	colour
box	brown	1	● L609001033	6	8	2

Performance 1 = low / 10 = high

● on stock ● made to order



Appearance can vary from picture depending on variant.

EUPOLC009

Unipol 8660: Polishing Emulsion

Osborn 8660 Premium Polishing Compound has been specially developed for polishing steel and stainless steel surfaces to achieve low surface roughness and a uniform satin-gloss finish. Its highly abrasive formulation ensures excellent material removal and outstanding productivity.

- High Abrasiveness: Efficiently reduces surface roughness for superior finishing results
- Low Consumption: Achieves outstanding satin-gloss finishes with reduced compound consumption.
- Excellent Productivity: Delivers fast polishing performance and shorter processing times

Application: Unipol 8660 can be used on all standard polishing machines and delivers optimum performance when combined with Osborn polishing buffs.

				Polishing Performance		
PKG.	**colour**		**Item Number**	**fat**	**cut**	**colour**
Conical Container (re-usable)	off-white	1	● L639008660	5	6	5
IBC container	off-white	1	● L649008660	5	6	5

Performance 1 = low / 10 = high



Appearance can vary from picture depending on variant.

EUPOLC008

Unipol 8564: Polishing Emulsion

Osborn 8564 is a high-performance polishing emulsion specifically developed for the processing of steel and stainless steel surfaces. It delivers a silk-matte finish while achieving a high material removal rate and short processing times

- High Material Removal: Ensures efficient processing and reduced cycle times.
- Silk-Matte Surface Finish: Produces a uniform, attractive surface appearance with excellent visual quality.

Application: Osborn 8564 can be used on all standard polishing machines and delivers optimum performance when combined with Osborn polishing buffs.

PKG.	colour		Item Number	Polishing Performance		
				fat	cut	colour
Conical Container (re-usable)	yellow	1	● L699008564	6	6	4

Performance 1 = low / 10 = high



Appearance can vary from picture depending on variant.

EUPOLC011

Autolin 741: Polishing Emulsion

Autolin 741 is a high-performance polishing compound designed to deliver consistent and efficient results. It creates an attractive, uniform silk-matte surface while improving the overall appearance and quality of the component. Its high cutting action helps reduce processing times and increase productivity.

- Smooth Finishing Performance: Delivers consistent and reliable polishing results
- Efficient Polishing Process: Supports productive and economical operations

Application: Autolin 741 can be used on all standard polishing machines and delivers optimum performance when combined with Osborn polishing buffs.


PKG.	colour		Item Number	Polishing Performance		
				fat	cut	colour
Conical Container (re-usable)	yellow	1	● L639001072	5	7	3
50 kg box	yellow	1	● L609001072	5	7	3

Performance 1 = low / 10 = high

● on stock ● made to order



Appearance can vary from picture depending on variant.



EUPOBU015

Sisal Airflow Buff

These compact buffs are made entirely from sisal web, resulting in a firm, dense structure with limited flexibility. This makes them a hard and highly effective tool for demanding pre-polishing applications. Sisal buffs are available with or without dip treatments, depending on the required performance and application.


- High cutting performance

Application: Sisal is a natural material, perfect for the first steps in the polishing process. Sisal buffs provide a highly aggressive cutting action and are typically used after grinding operations with coated abrasives or non-woven tools.

Metal Lacing	Ø	BØ	B	Raw Mat.	Raw Mat. Layers	Density		Item Number
1	300	130	130	101B	8	330	1	● L043090807



Appearance can vary from picture depending on variant.



EUPOBU035

Sisal Cloth Wave Ring


The dense construction of these buffs ensures extended service life and excellent polishing performance. Impregnation is available to further increase hardness and cutting efficiency. Thanks to their high density and effective airflow cooling, they are ideally suited for stainless steel and steel applications on automatic and rotary table polishing machines.

- Long service life, resulting in reduced tool changes and downtime
- High polishing and cutting performance for increased productivity
- Effective cooling effect to reduce heat build-up during operation

Metal Lacing	Ø	BØ	B	Raw Mat.	Raw Mat. Layers	Raw Mat. 2	Raw Mat. 2 Layers	Dip Treatment		Item Number
3	280	100	70	101B	6	82B	3	VI4	1	● L049900011
3	310	80	55	101B	6	28	3		1	● L049900029



Appearance can vary from picture depending on variant.



EUPOBU030

Cotton Cloth Sisal Pleated L Buff


L-Buffs made from cotton cloth and sisal are designed for pre-polishing and polishing of complex workpieces where a more aggressive cutting action is required. The folded construction delivers higher abrasive performance than conventional polishing buffs while maintaining excellent surface consistency. Its unique design promotes a cooling air effect, enabling efficient material removal and reducing heat build-up on the workpiece.

- More aggressive cutting action for faster material removal and pre-polishing operations
- Cooling air effect helps minimize heat generation and surface discoloration
- Consistent Results through the homogeneous folded construction

Metal Lacing	Ø	BØ	B	Raw Mat.	Raw Mat. Layers		Item Number
	300	80	55	101B	8	1	● L042950263
	300	130	71	101B	8	1	● L042950281
3	310	100	55	101B	4	1	● L049900030



Appearance can vary from picture depending on variant.



EUPOBU013

Cotton Cloth Airflow Buff

The Industry Standard for Universal Polishing This classic ventilated buff is the versatile "all-rounder" for nearly every stage of the polishing process. Its irregular fold structure, secured by a robust metal clinch ring, creates a flexible and highly economical tool that adapts perfectly to any workpiece contour.

- Maximum Efficiency: Engineered for an exceptionally long service life and significant savings in polishing compounds.
- Flexible Setup: Can be used as a single unit or mounted in multiple sections on a wide shaft, depending on your equipment.


Application: Can be used individually or mounted on a shaft, depending on the equipment available. All grades of cloth can be matched to the Osborn polishing compounds. Particularly recommended for polishing and finishing operations.

Metal Lacing	Ø	BØ	B	Raw Mat. Layers	Density	Raw Mat.		Item Number
3	300	130	130	20	330	101A	1	● L013032337

● on stock ● made to order



Appearance can vary from picture depending on variant.



EUPOBU051

Cotton Cloth L Pleated Buff


L-Buffs are designed for the polishing and finishing of complex workpieces. Their unique folded construction combines excellent performance with a cooling air effect, enabling efficient material processing while reducing heat build-up on the workpiece. The folded structure ensures consistent finishing results, high compound retention, and effective performance across large surface areas.

- Excellent Finishing Performance for polishing and refining complex workpieces and contoured surfaces
- Cooling air effect helps minimize heat generation and surface discoloration
- Consistent Results through the homogeneous folded construction

Ø	BØ	B	Raw Mat.	Raw Mat. Layers		Item Number
250	80	20	DF590	16	1	L000041680
270	110	70	290	16	1	L013010719
280	80	35	290	48	1	L012022635
300	100	70	308	16	1	L113010997
305	100	70	NF130F	16	1	L113010995
350	130	35	290	16	1	L113010651
350	130	130	215	16	1	L012021660
400	180	35	301J	16	1	L012022931



Appearance can vary from picture depending on variant.



EUABBU002

Non-woven Abrasive Airflow Buff

High-efficiency non-woven buff with an irregular fold structure for satin and decorative finishing on complex surfaces. Delivers excellent results with low contact pressure and extended service life.


- Consistent satin and decorative finishes, even on complex geometries
- Low contact pressure required for improved finish quality
- Long service life for a cost-effective polishing process

Application: The Abrasive Buff is recommended for satin and decorative finishing of irregular surfaces.

Metal Lacing	Ø	BØ	B	Raw Mat.	Raw Mat. Layers		Item Number
3	300	80	80	A7T	4	1	L000039084



Appearance can vary from picture depending on variant.



EUABFW004

Lipprite® Flap Wheel

Non-woven abrasive flaps radially bonded to a durable phenolic core, designed for consistent satin finishing and surface preparation.

- Consistent satin finishes with high surface quality
- Self-cleaning open-web construction reduces loading and extends wheel life
- Adjustable density and hardness to suit specific application requirements


Application: Lipprite® Flap Wheels are recommended for satin and decorative finishes, as well as for fine polishing and surface cleaning.

Ø	BØ	Width	Density	Raw Mat.		Item Number
200	90	20	109	A6T	1	L68015591C
350	220	50	105	A4T	1	L168003166
350	220	50	107	A6T	1	L68009348J
500	300	20	107	A6T	1	L4530331CK
500	370	35	107	A4MCP	1	L9737316GI

● on stock ● made to order



Appearance can vary from picture depending on variant.



EUABCW001

Lipprox® Convolute Wheel

Non woven abrasive web is wound around a core and specially treated, resulting in a consistent hardness and level of abrasion over the life of the product.

- Perfect for light deburring

Please note: An arrow indicates the direction in which the Lipprox Wheels must be used.

Ø	BØ	B	Width	Raw Mat.	Foam		Item Number
250	140	130	45	S6T	C2	1	L11402433I
304	110	100	50	A2T	C3	1	L79113402J
305	150	127	45	A4T	R2	1	L37155308I
400	270	254	25	A6T	C2	1	L068004686
490	320	304.8	40	A2T	R2	1	L68015955H
490	320	304.8	40	A6T	C3	1	L43203431H

L000039084	19
L000041680	19
L012021660	19
L012022635	19
L012022931	19
L013010719	19
L013032337	18
L042950263	18
L042950281	18
L043090807	17
L049900011	17
L049900029	17
L049900030	18
L068004686	21
L113010651	19
L113010995	19
L113010997	19
L114024331	21
L168003166	20
L37155308I	21
L43203431H	21
L4530331CK	20
L609001033	14
L609001072	16
L639001072	16
L639008660	15
L649008660	15
L68009348J	20
L68015591C	20
L68015955H	21
L699008564	16
L709000462	13
L709005333	12
L709040408	14
L719000462	13
L719005333	12
L719006310	12
L719010462	13
L719040408	14
L729006310	12
L79113402J	21
L799005333	12
L9737316GI	20

Terms & Conditions and Contact Adresses.

Please refer to our website for general terms and conditions and further information on ordering and dispatch.

Osborn GmbH
Ringstraße 10
35099 Burgwald
Germany
Tel.: +49 (0) 64515880
info@osborn.de

Osborn Unipol Lda
Rua de Pardelhas
4805-062 Brito-Guimarães
Portugal
Tel.: +351 (0) 253479550
osborn-unipol@osborn-unipol.pt

Osborn International AB
Huskvarnavägen 105
56123 Huskvarna
Sweden
Tel.: +46 (0) 36389200
info@osborn.se

Osborn Unipol SAS
24B avenue de la Demi-Lune
CS 80006
95735 Roissy CDG cedex
France
Tel.: +33 (0) 134450600
contact@osborn-unipol.fr

Osborn GmbH
Premium Polishing Compounds
Rudolf-Harbig-Weg 10
42781 Haan
Germany
Tel.: +49 (0) 212993070
polishing@osborn.de

Osborn International
R2001, Unit 2, Building No. 3
Yard No. 11, Shuangying Road
Chaoyang, 100012 Beijing
China
Tel.: +86 1084986167
cnsales@osborn.com

Osborn Lippert (India) Pvt Ltd
Plot nos E 65 & 66, MIDC Waluj
Chhatrapati Shambhajinagar -
431 136
India
Тел.: +91 2402556538
sales@osborn-lippert.co.in

Osborn Mexico
Emilio Cárdenas No. 211
Centro Industrial Tialnepantla
Tlalnepantla Edo, México, 54030
Mexico
Tel.: +52 55556559555

Osborn Unipol (UK) Limited
Newhouse Farm Industrial Estate
Chepstow NP16 6UD
United Kingdom
Tel.: +44 1291643200
sales@osborn.co.uk

Osborn International SRL
Bd. Bucovina, Nr. 151
725300 Gura Humorului,
jud. Suceava
Romania
Tel.: +40 (0) 230234212
sales@osborn.ro

Osborn - Unipol, S.L.
C/ Ronda Norte, 320
(Polígono Industrial) - Apartado 169
46470 Catarroja (Valencia)
Spain
Tel.: +34 (0) 961325876
ventas@osborn.es

Osborn LLC- Richmond, IN - USA
2350 Salisbury Road North
47374 Richmond
United States
Tel.: +1 800 7203358
marketsupport@osborn.com

Osborn Singapore Pte Ltd
#24-01, 2 Venture Drive,
Vision Exchange
608526 Singapore
Singapore
Tel.: +65 68630318
sales@osborn.com.sg

Osborn LLC - Hamilton, OH - USA
Premium Polishing Compounds
3440 Symmes Road
Hamilton, OH 45015
United States
Tel.: +1 800 5378449
polishing@osborn.com

Finish. First.

The Global Leader in Surface Treatment Solutions and Finishing Tools

Osborn GmbH
Ringstraße 10
35099 Burgwald
Germany

Phone: +49 (0)6451 588-0
Fax: +49 (0)6451 588-206
info@osborn.de

www.osborn.com

General

The tools shown in this catalogue, and the information on delivery scopes, appearances, performances and dimensions, correspond to information available at the time of print. We are enhancing our products continually. We reserve the right to make changes to products and prices.

In the event prices are printed in the catalogue, all previous price lists are rendered void on publication of this catalogue. All prices are recommended retail prices in Euro per piece. VAT, packaging, transport/postal charges and insurance are extra. Our general terms and conditions apply for all orders.

osborn.com

P247035-en-2026.01