

BT3041 TRIPOLI COMPOUND

SAFETY DATA SHEET

Page 1 of 3

PRINTED: 2/8/2021 REVISED:02/08/2021

Section 1	CHEMICAL PRODUCT and CC	MPANY IDENTIFI	CATION
Identification: Product Name:	BT3041		
Recommended use:	Polishing		
Manufacturer:	Osborn		
	3440 Symmes Road		
	Hamilton, OH 45015		
	Telephone: 513-860-3400		
Emergency telephone:	ChemTrec (24hr) 800-424-9300)	
Section 2	HAZARDS IDENTIFICATION		
Hazard Classification: Irrit	ant	Hazard Symbols:	
WARNING: prolonged exposure may cause cancer.			
Dust may temporarily irritate eyes, skin, and respiratory system.			

Hazard Classifications:

NFPA HAZARD RATING:	Fire: (1, minimal)	Health: (2, slight)	Reactivity: (1, minimal)
GHS HAZARDS:	Fire: (5, minimal)	Health: (4, slight)	Reactivity: (5, minimal)

National Fire Protection Association (NFPA) Ratings: This information is intended solely for the use of

individuals trained in the NFPA system.

Hazard phrases:

H316, H320, H335: Dust produced in use may cause mild irritation of skin, eyes, and respiratory tract

H351: Prolonged or repeated inhalation is suspected of causing lung cancer

H373: May cause damage to organs through prolonged or repeated exposure

Precautionary Phrases:

P261: Avoid breathing dust, may cause respiratory tract irritation

P264: Wash thoroughly after handling. Avoid skin irritation by wearing protective gloves. If needed wear eye protection and dust mask.

Emergency Overview: Dust generated in use may cause temporary irritation to skin, eyes, nose, and respiratory tract. Exposure should be minimized.

Section 3	COMPOSITION	COMPOSITION / INFORMATION ON INGREDIENTS			
CHEMICAL NAME	CAS Number	EC Number	% Range		
SiO2	1317-95-9	603-514-9	40-60		
Tallow derivatives	Proprietary	Proprietary	20-30		
Calcium carbonate	1317-65-3	215-279-6	20-30		
Ferric oxide	1332-37-2	215-570-8	0-5		
Petroleum products	Proprietary	Proprietary	0-10		

Section 4	FIRST AID MEASURES
General:	Remove contaminated clothing.
Inhalation:	If excessive dust is inhaled, remove to fresh air. Seek medical attention if breathing difficulties persist.
Eye Contact:	Check for and remove any contact lenses. Flush eyes with large amounts of water, cold water may be used. Seek medical attention if vision difficulties occur.

osborn	BT3041 TRIPOLI COMPOUND	SAFETY DATA SHEET Page 2 of 3 PRINTED: 2/8/2021 REVISED:02/08/2021		
Skin Contact:	kin Contact: Wash contaminated skin with soapy water. Remove contaminated clothi			
	and shoes. Wash clothing and shoes before i	reuse.		
Ingestion:	Immediately rinse mouth and drink plenty o	f water. DO NOT INDUCE		
	VOMITING unless directed to do so by medic	cal personnel. Never give		
	anything by mouth to an unconscious persor	n. Ingestion of small quantities		
	is not expected to produce symptoms. If large	ge quantities are swallowed,		
	obtain medical help.			
Section 5	FIRE FIGHTING MEASURES			
Explosion hazard: None				
Suitable extinguishing media:	Dry chemical, alcohol foam, carbon dioxide, ger	ntle water flow		

Fire hazard: Contains combustible wax or grease which may liquefy and flow when heated

The nurul con	· contains compastible wax of Brease which may inquery and now which neared			
Firefighters should use self-contained breathing apparatus.				
Section 6	ACCIDENTAL RELEASE MEASURES			
Emergency Action	: If material cannot be recovered, transfer to waste container and dispose in local landfill,			
	in compliance with local, state and federal regulations.			
Section 7	HANDLING AND STORAGE			
Handling: Wear protective gloves if skin irritation is experienced. Wash hands before eating. Avoid breathing dust produced in use.				

Storage: Store at room temperature away from excessive heat.

Section 8	EXPOSURE	EXPOSURE CONTROL / PERSONAL PROTECTION			
	CAS Number	EC Number	OSHA PEL	ACGIH TLV	
SiO2	1317-95-9	603-514-9	0.1 mg/m 3 TWA	0.1 mg/m 3 TWA	
Calcium carbonate	1317-65-3	215-279-6	15 mg/m 3 TWA	10 mg/m 3 TWA	
Ferric oxide	1332-37-2	215-570-8	10 ppm	5 mg/m 3 TWA	
Petroleum products	Proprietary	Proprietary	5 mg/m 3 TWA	5 mg/m 3 TWA	

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep dust levels below occupational exposure limits. See section 2 for component exposure guidelines. Local exhaust ventilation is acceptable.

Respirator: Use a NIOSH-certified dust mask or equivalent.

Hand Protection: Wear gloves.

Eye Protection: Protective eye-wear should be used in dusty environment.

Other Recommendations: Wear protective clothing such as long sleeves. Wash hands after handling.

Section 9	PHYSICAL AND CHEMICAL PROPERTIES
Density	Approximately 2.0 g/cm3
Physical State	Solid bar
Solubility in wate	erInsoluble
Appearance	Reddish brown
Odor	Mild
Section 10	STABILITY AND REACTIVITY
General: Stable	
Incompatible Ma	terials and Conditions to Avoid: Strong oxidizing agents
Hazardous Polym	nerization: Will not occur.
Section 11	TOXICOLOGY INFORMATION
Acute Toxicity:	None
Chronic Toxicity:	This product contains crystalline silica (quartz and tripoli). Excessive inhalation of respirable

ronic Toxicity: This product contains crystalline silica (quartz and tripoli). Excessive inhalation of respirable dust may result in respiratory disease, including silicosis, pneumoconiosis, and pulmonary fibrosis. The International Agency for Research on Cancer (IARC) has determined that inhaled crystalline silica (quartz, tripoli) is carcinogenic to humans, IARC Monographs 68 – Silica, Some Silicates, and Organic Fibres, June 1997. The National Toxicology Program



BT3041 TRIPOLI COMPOUND

Page 3 of 3

(NTP) classifies crystalline silica as "known to be a human carcinogen", (9th Report on Carcinogens (2000)). Inhalation of crystalline silica is unlikely to occur from exposure to this product.

product.		
Section 12	ECOLOGICAL INFORM	ATION
All ingredients are inert in the er	vironment, or biodegrade	to non-hazardous compounds.
Section 13	DISPOSAL CONSIDERA	TIONS
RCRA 40 CFR 261 Classifications	: Not classified as hazardo	ous. Federal, State, and Local laws governing
	disposal of material can	differ. Ensure proper disposal compliance with
	proper authorities befor	e disposal.
Section 14	TRANSPORTATION IN	FORMATION
NON-HAZARDOUS MATERIAL N	ot regulated for transporta	tion under US DOT, IATA, ICAO, IMDG, Canadian
TDG Regulations, or EU	ADR.	
Section 15	REGULATORY INFORM	ΛΑΤΙΟΝ
US Federal Regulations:		
 CERCLA/Superfund, 40 	CFR 117, 302: None of the	chemicals are CERCLA hazards
 SARA Superfund and Re 	authorization Act of 1986	Title III sections 302, 311, 312 and 313:
 Section 302 – None of t 	he chemicals are extremely	y hazardous substances (40 CFR 355).
		uirements (40 CFR 370): By our hazard evaluation,
this product may be an	-	
		This product contains no chemicals (at level of 1%
•	nd on the 313 list of Toxic (
	Act (TSCA): All substances	
	and Recovery Act (RCRA 40	OCFR 261) Subpart C & D: Refer to Section 13.
STATE REGULATIONS:		
		by individual state. Other product specific health
•	•	Iso be applicable for state requirements. For Id contact the appropriate agency in your state.
		are on the Proposition 65 list
-	-	f this product are included in the Canadian DSL
(Domestic Substances L	-	This product are included in the canadian DSE
•	•	on Rule, 29 CFR 1910.1200
Sections 16	OTHER INFORMATION	
LABEL INFORMATION: For Ship		
REVISION DATES	SECTIONS	REVISED BY
2/8/2021	Company info	eb
ABBREVIATIONS LISED IN THIS DOCUM	-NT· NF – Not Established NA –	Not Applicable, NIF – No Information Found
ABRIDGED LIST OF REFERENCES: Code of Federal Regulations (CFR)		
Chemical Guide and OSHA Hazardous Co	mmunication Standard	
US Department of Labor; Occupational S	afety & Health Administration (w	ww.osha.gov)
The Environmental Protection Agency (<u>/ww.epa.gov)</u>	

The Environmental Protection Agency (<u>www.epa.gov</u>) The Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Government of Canada: http://canadagazette.gc.ca/news-e.html

To the best of our knowledge, the information contained herein is accurate. However, neither Osborn nor any of its subsidiaries assumes any liability **whatsoever for the accuracy or completeness of the information contained herein.** Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.